

FEDERAL AVIATION ADMINISTRATION-PARTS MANUFACTURER APPROVAL

Seal Dynamics
 13780 McCormick Drive
 Tampa, FL 33626

PMA NO. PQ1715CE
 SUPPLEMENT NO. 113
 DATE: May 02, 2007


| <u>Part Name</u> | <u>Part Number</u> | <u>Approved Replacement For Part Number</u> | <u>Approved Basis and Approved Design Data</u> | <u>Make Eligibility</u> | <u>Model Eligibility</u> |
|----------------------------|--------------------|---|---|-------------------------|--|
| Plug, Thermal Relief | 49-326SD | Goodrich Corp's P/N 49-326 | Test and Computations per 14 CFR § 21.303, Rev.IR, dated 12/19/06. <u>DWG NO:</u> 49-326SD <u>REV:</u> IR <u>DATE:</u> 12/11/06 or later FAA Approved revisions | Airbus | A319 Series Aircraft A320 Series Aircraft A321 Series Aircraft |

-----END OF LISTING-----

NOTE: Provide minor design changes in a manner as determined by the ACO. Handle major design changes to drawings and specifications in the same manner as that for an original FAA-PMA. If TC holder's ICA applies to these replacement parts, provide a statement noting such. If not, provide supplementary ICA per 14 CFR § 21.50.



 Melvin D. Taylor, Manager Atlanta
 Aircraft Certification Office



 Mack Riley, Manager Orlando
 Manufacturing Inspection District Office

FEDERAL AVIATION ADMINISTRATION-PARTS MANUFACTURER APPROVAL

Seal Dynamics
13780 McCormick Drive
Tampa, FL 33626


PMA NO. PO1715CE
SUPPLEMENT NO. 139
DATE: Jan11, 2008

| <u>Part Name</u> | <u>Part Number</u> | <u>Approved Replacement For Part Number</u> | <u>Approved Basis and Approved Design Data</u> | <u>Make Eligibility</u> | <u>Model Eligibility</u> |
|-----------------------|--------------------|---|---|-------------------------|--------------------------|
| Bolt Assy | D5598200320251S | Airbus P/N D5598200320251 | Test and Computations per 14 CFR , Part 21.303 <u>DWG NO:</u> D5598200320251S <u>REV:</u> IR <u>DATE:</u> 12/29/04 or later FAA Approved revisions | Airbus | A318 Series |
| Packing, Preformed | SD68-185(S) | B.F. Goodrich P/N 68-185 | Test and Computations per 14 CFR , Part 21.303 <u>DWG NO:</u> SD68-185(S) <u>REV:</u> IR <u>DATE:</u> 12/13/04 or later FAA Approved revisions | Airbus | A318 Series |
| Packing | 68-1223SD | Goodrich P/N 68-1223 | Test and Computations per 14 CFR , Part 21.303 <u>DWG NO:</u> 68-1223SD <u>REV:</u> IR <u>DATE:</u> 04/11/06 or later FAA Approved revisions | Airbus | A318 Series |
| Bolt | 43-1304SD | Goodrich P/N 43-1304 | Test and Computations per 14 CFR , Part 21.303 <u>DWG NO:</u> 43-1304SD <u>REV:</u> IR <u>DATE:</u> 06/02/06 or later FAA Approved revisions | Airbus | A318 Series |
| Washer | 80-722SD | Goodrich P/N 80-722 | Test and Computations per 14 CFR , Part 21.303 <u>DWG NO:</u> 80-722SD <u>REV:</u> IR <u>DATE:</u> 02/21/06 or later FAA Approved revisions | Airbus | A318 Series |
| Disk Drive Key | 170-269SD | Goodrich P/N 170-269 | Test and Computations per 14 CFR , Part 21.303 <u>DWG NO:</u> 170-269SD <u>REV:</u> IR <u>DATE:</u> 02/21/06 or later FAA Approved revisions | Airbus | A318 Series |
| Packing, Preformed | 68-1156SD | Goodrich P/N 68-1156 | Test and Computations per 14 CFR , Part 21.303 <u>DWG NO:</u> 68-1156SD <u>REV:</u> IR <u>DATE:</u> 01/16/06 or later FAA Approved revisions | Airbus | A318 Series |


| | | | | | |
|----------------------------|-----------------------|------------------------------|--|--------|-------------|
| Plug, Thermal Relief | 49-326SD | Goodrich P/N P/N 49-326 | Test and Computations per 14 CFR , Part 21.303 <u>DWG NO:</u> 49-326SD <u>REV:</u> IR <u>DATE:</u> 12/11/06 or later FAA Approved revisions | Airbus | A318 Series |
| Seal, Inner | 68-1407SD | Goodrich P/N 68-1407 | Test and Computations per 14 CFR , Part 21.303 <u>DWG NO:</u> 68-1407SD <u>REV:</u> IR <u>DATE:</u> 04/11/06 or later FAA Approved revisions | Airbus | A318 Series |
| Seal | SDID54530115200 00 | Airbus P/N D5453011520000 | Test and Computations per 14 CFR , Part 21.303 <u>DWG NO:</u> SDID5453011520000 <u>REV:</u> IR <u>DATE:</u> 01/24/04 or later FAA Approved revisions | Airbus | A318 Series |

-----END OF LISTING-----

NOTE: Provide minor design changes in a manner as determined by the ACO. Handle major design changes to drawings and specifications in the same manner as that for an original FAA-PMA. If TC holder's ICA applies to these replacement parts, provide a statement noting such. If not, provide supplementary ICA per 14 CFR § 21.50.



Melvin D. Taylor, Manager Atlanta
Aircraft Certification Office



Mack Riley, Manager Orlando
Manufacturing Inspection District Office